



RIFEVIDEOS.COM

Ihre Rife Machine History Bildungs-Website.

[Heim](#)

[Zubehör-Kit](#)


[Marsh CD-Sammlung](#)

[Bibliothek](#)

[Kontaktieren Sie uns](#)

Kapitel #23

Ist der Lichtstab wirklich eine weit verbreitete Maschine?



Viele Leute fragen sich: "Ist der Lichtstromstab wirklich eine Rife-Maschine?" Die Antwort auf diese Frage ist nein. Das liegt daran, dass es nach keinem der Maschinenprinzipien von Dr. Rife funktioniert. Die Informationen in diesem Kapitel werden gegeben, damit sich der Leser selbst ein Bild von der Antwort auf diese Frage machen kann. In einigen ihrer schriftlichen Werbematerialien über den Lichtstromstab behaupten sie, dass es sich um eine "Rife-Maschine" handelt, und in einigen ihrer anderen schriftlichen Materialien behaupten sie, dass es sich nicht um eine "Rife-Maschine" handelt. Die beiden folgenden Zitate zeigen den Widerspruch in ihren Behauptungen.

1. *"Lichtstromgeräte sind keine Rife-Maschinen."*

2. *"Die fortschrittlichste PEMF-Rife-Maschine der Welt."*

Der Leser kann sehen, dass in einem Zitat behauptet wird, dass ihr

Lichtstab eine "Rife-Maschine" ist und in dem anderen Zitat keine Rife-Maschine. Wir werden tatsächlich durch ihre eigenen Aussagen zeigen, dass es sich nicht um eine "Rife-Maschine" handelt und sie nur 2 von Dr. Rifés Originalfrequenzen ausgeben kann. Jeder, der sich den Lichtstab ansieht, kann erkennen, dass es sich nicht um eine Plasmaröhre, eine Metallantenne oder irgendeine andere Form von Elektrode handelt, die von den vielen sogenannten "Rife Machine"-Erbauern verwendet wird. Ihre Methode, die Frequenzen mit dem Lichtstab zu liefern, ist also nicht die Methode, die in den letzten 62 Jahren erfolgreich angewendet wurde. Der Leser wird schnell feststellen, dass sie, wie viele andere auch, den Namen von Dr. Rife nur als Verkaufsinstrument verwenden. Ohne seinen Namen wäre der Absatzmarkt für den Zauberstab so klein, dass sie nicht in der Lage wären, viele ihrer Instrumente zu verkaufen. Das ist der Grund, warum Dr. Rife sagte, er wolle nicht, dass sein Name auf einer Maschine steht.

In Kapitel 4 dieses Berichts mit dem Titel "Sind die HF-Frequenzen von Dr. Rife sicher zu verwenden?" haben wir den Beweis dafür gezeigt, dass Dr. Rifés Verwendung von Funkfrequenzen und einer HF-Funkträgerfrequenz sicher war. Wenn der Leser Kapitel 4 dieses Berichts noch nicht gelesen hat, empfehlen wir Ihnen, es zu lesen, damit Sie diese wichtige Tatsache kennen. Diese Information ist wichtig, weil in dem schriftlichen Material des Lichtstabs behauptet wird, dass die Radiofrequenzen und die von Dr. Rife verwendete Radiofrequenzträgermethode nicht sicher sind. Bevor wir ihre Zitate lesen, werden wir hier in diesem Kapitel noch einmal einige der Zitate aus Kapitel 4 wiedergeben, die belegen, dass Dr. Rifés Methode sicher anzuwenden war. Der einzige Grund, warum sie diese Behauptungen aufstellen, ist, den Verkauf ihres Lichtstabs zu fördern, da sie nicht mit einem RF Rife-Instrument konkurrieren können. Hier sind zwei Zitate von Dr. Rife:

RIFE: *"Ich stand dreißig Jahre lang vor diesem Ding und fand diese verschiedenen [Radio-]Frequenzen, die diese verschiedenen Bakterien devitalisieren. Und dieses Ding [HF-Strahlenröhre] schoss genau hier [auf seine Brust] auf mich, aber es ist absolut harmlos für normales Gewebe und jedes einzelne Bakterium, das eine andere Frequenz benötigt, um sich zu devitalisieren."* ([John Marsh Rife CDs](#)).

[Um Dr. Rifés tatsächliche Stimme zu hören, die diese Aussage von den Rife-CDs macht, klicken Sie hier.](#)

RIFE: *"Ich bediene das Frequenzinstrument seit 1921. Ich habe gesehen, wie es sich mit der Weiterentwicklung der Elektronik in Stil und Leistung weiterentwickelt hat. In den vielen Jahren, in denen ich dieses Gerät in meiner Forschung verwendet habe, habe ich nie eine Verletzung oder irgendwelche negativen Auswirkungen erlitten. Ich*

fand es zuverlässig in der Leistung und effizient in den Ergebnissen."
[\(Brief von Dr. Rife an Dr. Justin Stein, 2. Juli 1956\).](#)

Die Ärzte in den 1930er/1950er Jahren, die Dr. Rifés Geräte verwendeten, wollten, dass die Instrumente auf schädliche Strahlung getestet wurden, bevor sie bereit waren, sie bei ihren Patienten einzusetzen. Es wurden Tests durchgeführt, die bewiesen, dass die Instrumente sicher in der Anwendung sind. Im Jahr 1958 wurde ein Brief an das Gesundheitsministerium in Kalifornien von der "Radiation Detection Co." geschickt, die das Gerät testete. Wir zitieren:

STRAHLENRÖHRENDOKUMENT: *"Während der Entladung werden keine Röntgenstrahlen und keine ionisierende Strahlung von der Röntgenröhre [mit Heliumgas gefüllte Plasmastrahlröhre] emittiert. Die Messungen werden in der Nähe der Glashülle der Röhre sowohl mit einem Geiger-Müller-Vermessungsmessgerät des Kernmodells 2611 als auch mit einem empfindlichen Lauritsen-Elektroskop des integrierenden Typs durchgeführt. Keine Strahlung oberhalb des Hintergrunds wurde von beiden Instrumenten detektiert.*

Da diese Röntgenröhre etwas Gas enthält, kommt es zu einer Entladung und die Elektroden werden heiß. Es muss jedoch betont werden, dass das Einschalten der Röhre unter diesen Bedingungen keine Röntgenstrahlen erzeugt. Als Physiker kann ich sagen, dass dies keine signifikanten Auswirkungen auf einen Körper hätte, der sich in der Nähe befindet. Bei diesem Gerät handelt es sich um einen Funksender mit geringer Leistung, der mit einer "Strahlenröhre" ausgestattet ist, die keine Röntgenstrahlen erzeugt. Seine Konstruktion ist typisch für Funkgeräte, deren Zifferblätter lediglich die Audiomodulationsfrequenz des Radioträgers ändern. Der Aufbau des Instruments ist typisch für Radiosender und kann keine andere bekannte Form von Strahlung erzeugen.

Die oben genannten Informationen, die aus den Berichten dieser hervorragenden Quellen und wissenschaftlichen Laboratorien extrahiert wurden, beweisen schlüssig, dass die Strahlenröhren des Frequenzinstruments SICHER SIND, um sie bei menschlichen Patienten oder Tieren ohne Einschränkungen zu verwenden."
[\(Unterzeichnet: D.C. Kalbfell Ph.D., Präsident, 16. Aug. 58. Daten für: California State Board of Public Health, Berkeley, Kalifornien\).](#)

Am 30. Juli 1958 wurde ein Folgebrief von Radiation Detection Co. an Herrn Frank Stead, Abteilung für öffentliche Gesundheit des Staates Kalifornien in Berkeley, geschickt. Hier ist ein Zitat aus diesem Brief:

RADIATION DETECTION CO: *"Wie gewünscht habe ich die von Ihrem Büro zur Verfügung gestellten Informationen über das AZ-58 Freq. Inst. unter dem Gesichtspunkt möglicher Gefahren durch*

ionisierende und/oder hochfrequente Strahlung überprüft. Basierend auf den Daten, die im Bericht des 3D Testing Labs Inc. Material Engineering Report vom 18. Juni 1958 angegeben sind, bin ich der Meinung, dass das Gerät keine gefährlichen Mengen an Ionisation und/oder Radiofrequenz erzeugt." ([Brief von Francis R. Holden, PhD, Präsident von Radiation Detection Co., an Herrn Frank Stead, Abteilung für öffentliche Gesundheit, Bundesstaat Kalifornien, Berkeley](#)).

Im Jahr 1972 ließ John Marsh die gleiche Art von Test an der Strahlenröhre durchführen, auf Wunsch der Ärzte, die sein neueres Strahlenröhreninstrument JLMSQ-1A verwenden wollten, das das AZ-58-Modell aus den 1950er Jahren ersetzte. Das Unternehmen, das diesen Test durchführte, war das "AccureX Mobile Inspection Service Radiographic Laboratory". Diese Firma hat auch Film verwendet, um auf Röntgenstrahlung zu testen, und wir haben Fotos von diesem Film beigefügt. Alle Tests wurden in "Beach Aircraft Facilities" durchgeführt. Wir zitieren aus diesem Dokument:

ACCUREX: *"Das Gerät wurde fünf (5) Minuten lang mit 2128 cps unter Strom gesetzt und mit dem Gieger-Zähler und dem Gamma-Survey-Messgerät überwacht. Es wurde keine Röntgenstrahlung registriert. Folienpakete wurden in Kontakt mit der Röhre gebracht... und an verschiedenen anderen Berührungspunkten innerhalb der Konsole... und in Kontakt mit dem Netzteil. Das Gerät wurde zwanzig (20) Minuten lang mit Strom versorgt. Die Folie wurde sechs (6) Minuten lang bei 20 °C in einem neuen Ansco Liquidol-Entwickler und einer neuen Ansco Liquifix-Befestigungslösung entwickelt. Nach dem Waschen wurde die Folie in normalen Verfahren getrocknet. Es wurde keine Verdunkelung des Films durch Röntgenstrahlung gezeigt. Der Film war klar.*

The conclusion is that unit...and its components DO NOT emit detectable X-radiation when checked with standard instrumentation." ([AccureX Mobile Inspection Service Radiographic Laboratory document](#). Click here for [Film photos showing no X-Ray radiation](#)).

These quotes and the information which was given show that the RF radio frequencies and (RF) radio carrier frequency method Dr. Rife used was safe. Since all of Dr. Rife's frequencies, but two, were (RF) radio frequencies then how can the Light Wand that does not output any (RF) radio frequencies possibly be a "Rife Machine." In fact, the makers of the Light Wand condemn the use of the very frequencies and method Dr. Rife used, we quote:

1. *"We only use RIFE frequencies with deep pulsed magnetic waves, avoiding the controversial harmful radio waves as carrier waves."*

2. *"[The inventor] discovered that RIFE frequencies are not radio waves in themselves, and does not need to be carried by the controversial radio waves, thus it is safer to use with the Light Stream System while you still get the complete benefits from Rife frequencies!"*

The inventor of the Light Wand without any scientific proof wants everyone to believe that he somehow *"discovered that RIFE frequencies are not radio waves"* even though all of them are in the radio frequency range, but two. The burden of proof is always upon the person or persons making the claim. In this case, they give no scientific proof, only just believe me because I say it is so. Dr. Rife spent over 30 years in his laboratory finding the frequencies that would devitalize microorganisms. He said he started in the low audio range and worked his way up through the various frequency ranges until he found a frequency that would devitalize a microorganism. Only 2 of the approximately 50 plus frequencies are in the audio range. All of the rest are in the (RF) radio frequency range. Those frequencies range from 15,779 Hertz to 17,033,000 Hertz or cycles per second. Below is a link to a page with Dr. Rife's (RF) frequencies.

[Dr. Rife's True Original Frequencies](#)

People can make up whatever they want to believe, but this still will not change the fact that all of Dr. Rife's frequencies, but two, were radio frequencies. Unless a person has an instrument that can output Dr. Rife's radio frequencies they will not be using his frequencies. At the time of this writing, they have no actual written technical specifications for their Light Wand. You have to carefully go through their information in order to find what we found. The one thing that is known for sure is the Light Wand does not output any *"radio waves."* This means their Light Wand is only capable of outputting low audio frequencies from about 20 Hertz to about 20,000 Hertz. Here are their quotes that verify this fact:

1. *"The Light stream wand converts sound frequencies into an electromagnetic field with a radius of 3-6 feet around the device."*


2. *"We only use RIFE frequencies with deep pulsed magnetic waves, avoiding the controversial harmful radio waves as carrier waves."*

3. *"You will need an amplifier and CD player, DVD Player, or I-pad device to run this."*

4. *"You connect your i-pad or i-pod mini audio out to your amplifier and connect wand cable to your Left or right speaker out line!"*

5. *"Compressed the waves into the audible spectrum (20 to 20,000*

hertz) of the human ear.”



Above is an audio frequency range graph covering this 20,000 Hertz frequency range. These five quotes clearly show that their Light Wand frequency range is limited to the low audio frequency range. They play music into the Light Wand so all audio frequencies are in this range. In fact, they sell many different frequency CDs sets and make all kinds of un-provable claims about there benefit.

We specifically used their own quotes, to show by their own words, that the Light Wand cannot output any of Dr. Rife’s (RF) radio frequencies which he found for microorganisms. Regardless of what is claimed their Light Wand can only output two of the more than 50 plus Rife’s frequencies. And yet they still make this claim. We Quote:

“10,000 wellness frequencies. The most Rife frequencies on any system.”

This claim is incorrect because all of the so-called Rife Machines have at least a 10,000 to 20,000 Hertz range. This means they do not have the “most frequencies on their system.” Some of these instruments go up as high as 3 or 4 million Hertz and one goes all the way up to 20 million. Dr. Rife’s laboratory notes show he was producing frequencies as high as about 18 million Hertz with his Rife Ray #3. His Rife Ray #4 had a frequency range that went to 22.5 million Hertz. It should be clear that this claim is incorrect and they are only using the “Rife Machine” name in their advertising in order to sell their Light Wand. They cannot, and do not have the capability to output more than 2 of Dr. Rife’s original frequencies. We clearly again point out that they state this in their advertisements *“Light Stream Devices are not Rife Machines.”*


Dr. Rife only used three different waveforms sine, square and damped. The 1936/1939 Rife Ray #5 and the 1950s AZ-58 used audio frequencies and the waveform used with those audio frequencies was a square wave. Since music CDs are used with the

Light Wand then it is doubtful that it is using a square wave waveform which was found to be the most effective waveform with low audio frequencies. With low audio frequencies, it is the square wave harmonics that make this waveform work so well.

What is really misleading is they have been making incorrect comparison videos of their Light Wand against many different so-called Rife Machines which can actually output most of Dr. Rife's frequencies. Anyone watching these comparison videos should contact the company that builds the instrument they are comparing their Light Wand against and give them a fair chance to give them the correct information about their instrument. Anyone who is really looking for a Rife type instrument is also looking for an instrument that has the capability of outputting Dr. Rife frequencies. Those instruments will either be using the proven metal hand-cylinder electrode method or the RF Plasma tube method. The plasma tube is actually a plasma tube antenna that allows the frequencies to be broadcast through the air to the person receiving the frequencies. The plasma tube also eliminates the necessity of having a tuned antenna to output the frequencies. The glass also makes it safe because if you just happen to touch a metal antenna with 50-watts or more power output you could be seriously harmed or killed. So the plasma gas is very important when using high power levels. The Light Wand does not have this capability. It is apparent that the makers of the Light Wand do not understand the importance or real function of a plasma tube. This is apparent because they state the following about a plasma tube. Quote:

"Plasma Transmission contains Inert Gas, not beneficial to health."

"The plasma transmission..., not beneficial to health" would only be true if you are using a low power metal electrode type of Rife instrument, since this style does not use a plasma tube. Another thing that the plasma tube produces is harmonics from the frequency that is put into it. In the spectrum analysis graph, shown below, you can see how the harmonics of 1,604,000 go up to over 20 million Hertz because of the plasma tube gas.



It should be apparent to the reader the method of producing frequencies output by the Light Wand is not the method Dr. Rife used. Also, the audio frequency range used by the Light Wand does not produce the (RF) frequencies Dr. Rife used to devitalize the

various microorganisms. It does not matter what they may claim, without any scientific proof, that the inventor "*discovered that RIFE frequencies are not radio waves in themselves.*" The fact is, all but two of Dr. Rife's frequencies are "radio waves" and nothing can change this fact. Almost all of the claims that are made about the Light Wand have no scientific proof backing them. They also make many claims about Crystals since they use them, with and without the Light Wand. Below is a combination of their quotes, showing their many un-provable claims along with some very interesting beliefs:

"The Light Stream System combines 5 powerful health technologies into one: Rife Frequencies, PEMF (Pulsed Electromagnetic Field), Phase-Conjugation Electromagnetic Vortex Fields, Piezoelectric Ruby, Tourmaline, Quartz Ions, and Quantum Restructuring Waveforms...Quantum Physics [or Quantum Entanglement]. This is the basis of modern PEMF technology. Nature's Healing at Your Fingertips: 122 Quantum frequencies. Over 10,000 powerful frequencies hidden in nature are now decoded and accessible to you...Stones have a great hidden purpose in nature. They possess a great untapped power. They have memory! Stones hold vibrations and they can transmit vibrations! Using a series of 5 quantum energy generators, we can now place religious or natural harmonic vibrations into stone, crystal or natural materials. These were not ordinary stones, but stones that stored spiritual vibrations. Through the years [the inventor] has had face-to-face encounters with Jesus Christ, Virgin Mary, Mary Magdalene, Archangel Michael, Celestial Beings and as well as many other ascended masters. He attains "samadhi", one of the highest levels of consciousness and spiritual awareness (an outer-body experience) almost on demand. It was through these visions and messages that have led him to the decoding of ancient technologies hidden in the Great Pyramids, the Ark of the covenant, and the Staff of Moses. Using quantum technology, we are able to put a zero-point energy conduit, healing or spiritual prayer vibrations in our jewelry. This jewelry carries a vibration that can scientifically be measured by anyone who touches it. Quantum Vibrational Jewelry is Energized and Treated with the elds of the Quantum Universe's Energy. These are our basic pendant designs with stone technology."

It is hard to even comment on these odd beliefs and claims. We will let the reader make up their own mind about many of them. We will only talk about Piezoelectric Crystals and Quantum Entanglement. Piezoelectric Crystals used in jewelry do not work the way they claim. To read all of the information about how Crystals can scientifically produce frequencies or electricity read chapter 21 and watch the video links. Crystals are always in a constant neutral state, and when they are in this state they cannot produce either electricity or frequencies. If they are put under mechanical pressure they will produce electricity. If a Crystal, cut on a specific angle, has metal

plates with wires put on the opposite sides of the crystal, it can then produce frequencies. Without these metal plates and wires, nothing can be produced. Then electrical alternating current (AC) has to be put into the Crystal using the wires to produce ultrasound frequencies. If the electrical current is stopped, the Crystal stops producing the frequencies. This is scientifically how piezoelectric crystals produce frequencies. If their Crystal jewelry is not cut on the correct angle and has electrical (AC) alternating current put into it, then the jewelry will not produce any frequencies for the person wearing it. This is why their claims have no scientific basis about how Piezoelectric Crystals work.

Now we will discuss the science of Quantum Entanglement. "Quantum Entanglement" is real and is scientifically provable and measurable. But, how some claim it works is false. To read all of the information about how "Quantum Entanglement" scientifically works please read chapter 20 of this report and watch the video links. In a nutshell "Quantum Entanglement" is a **ONE TIME, ONE DIRECTION**, faster than light communication between atoms, electrons or photons. People claim that DNA is "Entangled" and that you can take a fingernail clipping that has a person's DNA and treat the clipping with frequencies and the person will also be treated no matter the distance that separates the clipping from the person. The problem is some Rife manufacturers read a little information about "Quantum Entanglement", without reading all of the scientific facts, and came up with a false belief that a frequency can bi-directionally sent back and forth through "Quantum Entangled" partials including DNA.

Had they actually studied all the facts they would have understood scientifically how it works. All of the scientific tests prove it is a **ONE TIME, ONE DIRECTION** communication that only happens one time. It cannot carry any useful information such as a frequency. The only information that is communicated between the two "Entangled" particles is their "angular momentum and orientation." Once this information is sent from one particle to the other particle, the communication stops. This is why the "Quantum Entanglement" claims are false when it comes to Rife frequencies. People should read about this information before they accept this false thinking. We took the time to study all about "Quantum Entanglement," also called "Spooky Action at a Distance" and put this information in this report so people will have the correct understanding so that they do not get fooled into believing an incorrect theory that is easily proven false

Chapter Summary: The Light Wand is not a Rife machine as stated in their own words: "Light Stream Devices are not Rife Machines." It only has the capability to output 2 of Dr. Rife's 50 plus frequencies because those 50 plus frequencies are all (RF) radio frequencies. It

only outputs audio frequencies as also stated in their own words: "We only use RIFE frequencies with deep pulsed magnetic waves, avoiding the controversial harmful radio waves as carrier waves." All of the frequencies Dr. Rife used are in the lower safe (RF) radio frequency band covering the AM radio band up into the HAM radio band. Dr. Rife's machines were laboratory tested to be safe to use on people. Their Piezoelectric Crystals and crystal jewelry cannot output frequencies as claimed. There are basic scientific laws that govern how crystals can produce frequencies and these laws must be followed in order for this to work. They do not follow those laws. "Quantum Entanglement" has been scientifically proven to exist but it does not work the way people claim. "Quantum Entanglement" of DNA is has been scientifically proven to be false because "Quantum Entanglement" is a **ONE TIME, ONE DIRECTION** communication between two entangled particles. Once this communication has taken place no further communication ever takes place again.

In chapter 24 we will discuss the differences in Dr. Rife's RF method and the new EMF Method.

[\(To read chapter #24\)](#)